


BETRIEBSANLEITUNG
OPERATING INSTRUCTIONS
INSTRUCTIONS DE SERVICE
ISTRUZIONI D'USO
HANDLEIDING
INSTRUCCIONES PARA EL MANEJO
MANUAL DE INSTRUÇÕES
NAUDOJIMOSI INSTRUKCIJA
KASUTUSJUHEND
LIETOŠANAS INSTRUKCIJA
DRIFTSINSTRUKS
DRIFTSINSTRUKTIONER
DRIFTSVEJLEDNING
INSTRUKCJA OBSŁUGI

KEZELÉSI ÚTMUTATÓ
NÁVOD K OBSLUZE
NAVODILO ZA UPORABO
NÁVOD NA OBSLUHU
UPUTE ZA RAD
MANUAL DE OPERATII
TREORACHA OIBRIÚCHÁIN
ΟΔΗΓΙΕΣ ΧΡΗΣΗΣ
EL KITABI
ИНСТРУКЦИИ ЗА ЕКСПЛОАТАЦИЯ
ИНСТРУКЦИЯ ПО ЕКСПЛУАТАЦИИ
取扱説明書
사용설명서
使用说明书

KDT 3.140

MAKE IT BECKER.







1

MAX. PRESSURE





No		year
CE	type	Hz
frequency	speed	min ⁻¹
power required	intst capacity	kW
max. pressure	MAX. PRESSURE	mbar

mbar

MAX.





No		year
CE	type	Hz
frequency	speed	min ⁻¹
power required	intst capacity	kW
max. pressure	MAX. V	m³/h

m³/h


DIN EN ISO 11203
Accuracy Class 2
K_{pA} = 3 dB(A)
I ← 1m

L_{pA} = 82 dB(A) - 50Hz
L_{pA} = 84 dB(A) - 60Hz

2



136-140 kg
300-309 lbs



MIN 2m

3

A > 100mm
A > 4"




> 5°C/41°F
< 45°C/113°F



max. 90%



max. 800m



4






No. 2




5 mm




7 mm
10 mm




5




6




7




8




9



10





11



12

Maintenance





n=0min⁻¹




13

14




15




D2 (Pos. 75)

16



17




D3 (Pos. 104)


18

F1 = F2 (standard) No.: 909507	F2* (polyester) KDT 3.140/6 No.: 909587	F3 (standard) No.: 909514
	Satz / Kit Pos.: 17, 20, 24, 62, 75, 76, 85, 86, 104, 122, 125, 126, 146 No.: 549000 21300	


19




20



21









22



23

3000 h	
KDT 3.140 (standard) KDT 3.140/0-52 KDT 3.140/6 KDT 3.140/6-29 KDT 3.140/6-71 KDT 3.140/6-71 HD	→ No. 90133400004 (SET) → No. 90138100004 (SET) → " " → No. 90138100007 (SET) → " " → " " → No. 90138500007 (SET)

24





WWW.BECKER-INTERNATIONAL-SHOP.COM

Gebr. Becker GmbH
 Hoelker Feld 29-31
 42279 WUPPERTAL
 GERMANY
info@becker-international.com
www.becker-international.com





MAKE IT BECKER.