



FICHA TÉCNICA


S6 | S | SV5 | SV7 SILENCIADORES

MAKE IT BECKER.






	Volumen	Dimensiones						Rosca	Carcasa	Peso	N.º de pedido
	m³/h	mm								kg	
		Ød1	Ød2	L1	L2	L3	ØD				
S 6.100/0	100	G1½	G2	200	15	15	76	Exterior	Metal	1,6	73990199900
S 6.120/02	110	G1½	G1½	161	14	14	93	Exterior	Plástico	0,3	73990108000
S 200	250	G2	–	211	15	–	102	Exterior	Metal	0,8	73990109000
S 1.200	350	G2½	–	423	15	–	102	Exterior	Metall	1,3	73980310000
S 6.400/0	613	G3	G3	299	30	30	160	Interior	Metall	5,8	73980111000
S 6.480/0	1026	G4	G4	299	30	30	161	Interior	Metal	5,8	73980312000
S 6.650/0	1026	G4	G4	468	35	35	205	Interior	Metal	10,0	73980512000



	Volumen	Dimensiones						Agujeros	Brida	Peso	N.º de pedido
	m³/h	mm						Número	DIN 2631 ST37-2, PN6	kg	
		L1	L1	Ød	ØD	ØK					
S 500	850	1000	115	18 (M16)	240	170	4		DN 100 / 108	29	73980112000
S 505	850	1000	115	18 (M16)	240	225	8		DN 150 / 159	29	73980114000
S 1000	1500	1200	120	18 (M16)	280	200	8		DN 125 / 133	39	73980113000
S 1005	1500	1200	120	18 (M16)	280	225	8		DN 150 / 159	39	73980115000
S 2000	4000	1250	130	18 (M16)	350	280	8		DN 200 / 219,1	45	73980116000
S 2500	6000	1250	130	18 (M16)	400	280	12		DN 250 / 273	45	73980117000

- Dimensiones en mm
- El aislamiento de ruidos depende del tipo de carga y comprende una media de 4 dB(A).

SILENCIADORES ESPECIAL



		N.º de pedido
SV 5.90-0-225		57030114100
SV 7.190-0-225		57031819600
SV 7.190-0-225.1		57032219600
SV 7.190-0-225.2		57033019600
SV 7.190-0-225.3		57033119600
SV 7.190-0-225.5		57033319600

- Dimensiones en mm
- El aislamiento de ruidos depende del tipo de carga y comprende una media de 4 dB(A).

MAKE IT BECKER.

BECKER
ONLINE SHOP

